AMENDMENTS TO THE CLAIMS

LISTING OF CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Please cancel claims 2 and 16-20 without prejudice or disclaimer.

- 1. (Currently Amended) A method of liquid-phase oxidation reaction using a tungsten species, wherein that, in carrying out said method of liquid-phase oxidation reaction using a catalyst comprising a tungsten species as an essential component, wherein said catalyst is obtained by causing said tungsten species is caused to be supported on a porous support and, further, separately causing a third element other than the component elements of said porous support and the tungsten element is caused to coexist to be present in said catalyst as a component different from said tungsten species or the porous support; wherein said third element comprises at least one element selected from the group consisting of the elements of the groups 2, 3, 4, 5, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 and 17 of the periodic table.
- 2. (Canceled)
- 3. (Previously Presented) A method of liquid-phase oxidation reaction using a tungsten species according to Claim 1, wherein said catalyst is a catalyst calcined at a temperature of 300 to 700°C.
- 4. (Currently Amended) A method of liquid-phase oxidation reaction using a tungsten species according to Claim 12, wherein said third element comprises at least one element selected from the group consisting of Mg, Ca, La, Re, Fe, Zn, Al, In, Sn, Pb, Sb, Bi and F.
- 5. (Currently Amended) A method of liquid-phase oxidation reaction using a tungsten species according to Claim 12, wherein said porous support comprises alumina and/or tin oxide as an essential component(s) and said third element comprises at least one element selected from

Application No. 10/621,399 Docket No.: 21581-00298-US1

Amendment dated December 7, 2006

Reply to Office Action of September 8, 2006

the group consisting of La, Zn, Al, Sn and Pb and wherein said method of liquid-phase oxidation

reaction is a method of liquid-phase epoxidation reaction.

6. (Previously Presented) A method of liquid-phase oxidation reaction using a tungsten

species according to Claim 1, wherein said method of liquid-phase oxidation reaction uses

hydrogen peroxide as an oxidizing agent.

7. (Previously Presented) A method of liquid-phase oxidation reaction using a tungsten

species according to Claim 1, wherein said method of liquid-phase oxidation reaction is carried

out by oxidation reaction of compound having at least one ethylenic double bond.

8. (Previously Presented) A method of liquid-phase oxidation reaction using a tungsten

species according to Claim 1, wherein said tungsten species content in the catalyst is not less

than 1 part by weight but not more than 40 parts by weight per 100 parts by weight of a porous

support.

9. (Currently Amended) A method of liquid-phase oxidation reaction using a tungsten

species according to Claim 1, wherein said catalyst comprising a tungsten species as an essential

component is used for supporting tungstic acid and salts thereof, and salts of tungsten atom-

containing heteropolyoxometallate anions comprising tungsten atom, wherein the tungsten atom-

eontaining the heteropolyoxometallate anions comprising tungsten atom are represented by the

general formula (1):

 $[XW_nO_m]^{q}$ (1)

wherein X represents a silicon atom or phosphorus atom; (n,m) are (12,40) when there is no

deficiency, (11, 39) when there is one deficient structure site, (10, 36) when there are two

deficient structure sites, or (9, 34) when there are three deficient structure sites, and q is a

positive integer, the value of q being determined by the valence of the element X.

10. (Cancelled)

3

Application No. 10/621,399 Docket No.: 21581-00298-US1

Amendment dated December 7, 2006

Reply to Office Action of September 8, 2006

11. (Previously Presented) A method of preventing a tungsten species leaching, which is

carried out by liquid-phase oxidation reaction using a tungsten species according to Claim 1.

12. (Original) A method of preventing a tungsten species leaching, which is carried out by

liquid-phase oxidation reaction using a tungsten species according to Claim 3.

13. (Original) A method of preventing a tungsten species leaching, which is carried out by

liquid-phase oxidation reaction using a tungsten species according to Claim 4.

14. (Original) A method of preventing a tungsten species leaching, which is carried out by

liquid-phase oxidation reaction using a tungsten species according to Claim 5.

15. (Original) A method of preventing a tungsten species leaching according to Claim 11,

wherein said tungsten species leaching is not more than 99 mole percent when a tungsten species

leaching from the third element-free catalyst is taken as 100 mole percent.

16-20. (Canceled)

4